Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Organometallic Chemistry 688 (2003) 287
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Author Index of Volume 688

Aballay, A., 168
Adams, H., 75
Alt, H.G., 254
Anthis, J.W., 121
Anulewicz-Ostrowska, R., 246
Arnold, P.L., 49
Auffrant, A., 273
Azizi, N., 283

Balakrishna, M.S., 227
Barton, L., 82
Beagley, P., 144
Beckett, M.A., 174
Beckmann, J., 56
Blackie, M.A.L., 144
Blair, S., 92
Bochenkov, V.E., 49
Brassington, D.S., 174
Buono-Core, G.E., 168
Buzniak, M., 246

Cao, F., 125
Chang, Y.-C., 161
Chibale, K., 144
Chien, J.C.W., 153
Chung, S.W., 236
Clarkson, C., 144
Clayton, H.S., 181
Clegg, W., 92
Cloke, F.G.N., 49
Coles, S.J., 174

Dakternieks, D., 56
da Silva, E.G., 5
Demir, N., 62
Demircan, O., 68
Dötz, K.H., 5
Downing, P., 75
Drake, J.E., 20
Drozdov, A., 216
Dry, M.E., 181
Duthie, A., 56

Esteb, J.J., 153
Evans, W.J., 200

Forsyth, D.A., 206

Gagné, M.R., 121
Garland, M.T., 168
Gelbrich, T., 174
Giarikos, D.G., 200
Giner Planas, J., 273
Godoy, F., 168
Goh, L.Y., 100
Gun'ko, I.F., 138

Han, X., 132
Herber, R.H., 11
Ho, Y.-J., 161
Hong, F.-E., 161
Hong, L.-Y., 27
Hor, T.S.A., 100
Hoshiba, M., 36
Hursthouse, M.B., 20, 174

Iida, T., 192
Ilyin, M.M., 138
Itagaki, Y., 192
Izod, K., 92

Jeon, J.-K., 27

Kanbara, T., 15
Kang, S.O., 236
Kayran, C., 62
Kim, B.Y., 236
Kim, D.-P., 27, 125
Kirss, R.U., 206
Klahn, A.H., 168
Ko, J., 236
Komaguchi, K., 192
Kuan, F.S., 56
Kunai, A., 192
Kuzmenko, Y.V., 138
Kwasniewska, S., 246

Lai, Y.-C., 161
Larsen, A.O., 121
Lee, C., 236
Lee, Y.-J., 236
Leigh, G.J., 286
Levason, W., 280
Li, W., 132
Li, X.-d., 125
Licht, A.I., 254
Light, M.E., 20, 174
Lu, X.L., 100

Mann, B.E., 75
Marchetti, F., 216
McDonald, R., 227
McQuade, P., 82
Mobin, S.M., 227
Mori, M., 36
Morozova, E.A., 138
Moss, J.R., 144, 181
Muñoz, J.C., 168

Ng, S.Y., 100
Nghiem, Q.D., 27
Nowik, I., 11

Oelckers, B., 168
Ohshita, J., 192
Ohta, N., 192
Özkar, S., 62, 68

Pak, J.Y., 236
Patel, R., 280
Petrukhina, M.A., 49
Pettinari, C., 216
Pettinari, R., 216
Pizzabiocca, A., 216
Plante, M.A., 206
Prim, D., 273
Priya, S., 227

Rausch, M.D., 153
Reid, G., 280
Rose, E., 273
Rose-Munch, F., 273
Rourke, J.P., 112

Saidi, M.R., 283
Sato, Y., 36
Schneider, K.J., 254
Schultz, R.H., 1
Sergeev, G.B., 49
Shabatina, T.I., 49
Sharma, P., 20
Shen, Q., 132
Shiotani, M., 192
Simenel, A.A., 138
Singh, A.K., 20
Singh, G., 20
Slater, J.W., 112
Smith, P.J., 144
Snegur, L.V., 138
Starowieyski, K.B., 246
Sun, H., 132

Tabatabaeian, K., 75
Takanashi, T., 36
Tan, G.K., 100
Tiekink, E.R.T., 56
Troyanov, S.I., 216

Ülkü, D., 68

Vaissermann, J., 273
Vertlib, V., 216
Vittal, J.J., 100

Wagner, M., 11
White, C., 75
White, P.S., 121
Winter, R.E.K., 82

Yamamoto, T., 15
Yildirim, L.T., 68

Zagorskii, V.V., 49
Zhang, Y., 132
Ziemkowska, W., 246
Ziller, J.W., 200

Elsevier B.V.
doi:10.1016/S0022-328X(03)01143-4

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Organometallic Chemistry 688 (2003) 289–293
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Subject Index of Volume 688

Aldehyde
Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36
Alkali metals
C_2-Symmetric ytterbium(II) complexes with a novel, chiral *P*,*N*-donor ligand, 92
Alkyne-bridged dicobalt-complex
Preparations of cobalt-containing phosphines and reactions toward dicobalt octacarbonyl, 161
Aluminium
Binuclear alkylmetallane dioldiates $^tBu_4M_2(diol-(H))_2$ (M = Al, Ga) and their reactions with aluminium- and gallium trialkyls, 246
Aminophosphine
Half-sandwich ruthenium(II) complexes of aminophosphines: synthesis, structures and catalytic applications in C–C coupling reactions between styrenes and diphenyldiazomethane, 227
Antimalarial activity
Synthesis and antimalarial activity in vitro of new heterobimetallic complexes: Rh and Au derivatives of chloroquine and a series of ferrocenyl-4-amino-7-chloroquinolines, 144
arachno Cluster
Preparations of cobalt-containing phosphines and reactions toward dicobalt octacarbonyl, 161
Arene complexation
Arene complexation of Sm, Eu, Tm and Yb atoms: a variable temperature spectroscopic investigation, 49
Asymmetric metallocenes
Novel C_1 symmetric zirconocenes containing substituted indenyl moieties for the stereoregular polymerization of propylene, 153
Bent metallocene
Synthesis and reactivity of a tethered diene cyclopentadiene, $(C_5Me_4H)SiMe_2(CH_2CH{=}CHCH{=}CH_2)$, and its alkali metal salts, 200
Beta-diketonate ligands
Reactivity of rhodium-β-diketonato cyclooctadiene derivatives with mono- and di-phosphines. Synthesis, structural and spectroscopic characterization of Rh(I) and Rh(III) species containing unsymmetrical β-diketonate and P-donor ligands, 216
Bimodal polyethylene
CH-Aktivierungsreaktionen an unverbrückten und verbrückten Zirconocenkomplexen zur Darstellung von Metallacyclen und deren Verwendung in der katalytischen Ethylenpolymerisation, 254
1,1′-Bis(diphenylphosphino)ferrocene (dppf)
Structural dynamics and ligand mobility in carboxylate and dithiocarbamate complexes of Ru(II) containing 1,1′-bis(diphenylphosphino)ferrocene (dppf), 100
Bis{2-(pyrrolidine-*N*-yl)ethyl}telluride
Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
bis(Trimethylsilyl)ethyne
Reaction of pentacarbonyl(η^2-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68
Borane clusters
Degradation and modification of metallaboranes: Part 3. Reactions of the hexaborane(10) analogue *nido*-$(PPh_3)_2(CO)OsB_5H_9$ with bidentate phosphines containing a rigid backbone: formation of linked cluster systems, 82
Borazine
Efficient curing of polymethylsilane by borazine and reaction mechanism study, 125
Polymer derived Si–C–B–N ceramics via hydroboration from borazine derivatives and trivinylcyclotrisilazane, 27
Boron hydrides
Degradation and modification of metallaboranes: Part 3. Reactions of the hexaborane(10) analogue *nido*-$(PPh_3)_2(CO)OsB_5H_9$ with bidentate phosphines containing a rigid backbone: formation of linked cluster systems, 82
Bridging ligands
Cyclometallated nitrogen heterocycles, 112
Carbene complexes
Organotransition metal modified sugars: Part 27. Stereoselective radical spiro-cycloaddition reactions of Fischer carbene complexes, 5
Carbonyl
Pentacarbonyl(η^2-vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62
Reaction of pentacarbonyl(η^2-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68
Carbonyl complex
A crystallographic and spectroscopic investigation of the stereochemistry of $[MBr(CO)_3L_2]$ (M = Mn, Re) complexes: crystal and molecular structures of $[MBr(CO)_3L_2]$ {M = Mn, L = $P(C_6H_4Cl\text{-}4)_3$, 1/2dppe, 1/2dppf; M = Re, L = $P(C_6H_4OMe\text{-}4)_3$, 1/2dppf}, 174
Carboxylate
Structural dynamics and ligand mobility in carboxylate and dithiocarbamate complexes of Ru(II) containing 1,1′-bis(diphenylphosphino)ferrocene (dppf), 100
Catalysis
CH-Aktivierungsreaktionen an unverbrückten und verbrückten Zirconocenkomplexen zur Darstellung von Metallacyclen und deren Verwendung in der katalytischen Ethylenpolymerisation, 254
C–Cl bond activation
Photochemical C–Cl bond activation of trichloroarenes by the rhenium complex $(\eta^5\text{-}C_5Me_5)Re(CO)_3$. X-ray structure of *trans*-$(\eta^5\text{-}C_5Me_5)Re(CO)_2$(2-methoxy-4,5-dichlorophenyl)chloride, 168
Ceramic yield
Efficient curing of polymethylsilane by borazine and reaction mechanism study, 125
Chirality
C_2-Symmetric ytterbium(II) complexes with a novel, chiral *P*,*N*-donor ligand, 92
Chloroarenes
Photochemical C–Cl bond activation of trichloroarenes by the

Elsevier B.V.
doi:10.1016/S0022-328X(03)01141-0

rhenium complex (η^5-C_5Me_5)Re(CO)$_3$. X-ray structure of *trans*-(η^5-C_5Me_5)Re(CO)$_2$(2-methoxy-4,5-dichlorophenyl)chloride, 168
Chloroquine
Synthesis and antimalarial activity in vitro of new heterobimetallic complexes: Rh and Au derivatives of chloroquine and a series of ferrocenyl-4-amino-7-chloroquinolines, 144
Chromium
Pentacarbonyl(η^2-vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62
Synthesis of tricarbonyl η^6- and η^5-[(3-thiophenyl)organo]chromium and -manganese complexes, 273
Chromium complexes
Organotransition metal modified sugars: Part 27. Stereoselective radical spiro-cycloaddition reactions of Fischer carbene complexes, 5
Codeposition
Arene complexation of Sm, Eu, Tm and Yb atoms: a variable temperature spectroscopic investigation, 49
Complexes
Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
$\sigma-\pi$ Conjugation
Spin–spin interaction between phenoxyl radicals through $\sigma-\pi$ system, 192
Crystal structure
Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
Indenyl nickel complexes: synthesis, characterization and styrene polymerization catalysis, 132
Reaction of pentacarbonyl(η^2-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyltricyclohexylphosphinetungsten(0), 68
Crystal structures
Half-sandwich ruthenium(II) complexes of aminophosphines: synthesis, structures and catalytic applications in C–C coupling reactions between styrenes and diphenyldiazomethane, 227
C_2-symmetric
C_2-Symmetric ytterbium(II) complexes with a novel, chiral *P*,*N*-donor ligand, 92
Curing
Efficient curing of polymethylsilane by borazine and reaction mechanism study, 125
Cyanohydrin
An improved synthesis of cyanohydrins in the presence of solid $LiClO_4$ under solvent-free conditions, 283
Cyclic voltammetry
Electrochemical behavior of the Cp*(dithiolato)Co(III) complex [(η^5-Cp*)Co(1,2-$S_2C_2B_{10}H_{10}$-*S*,*S*′)] and its derivatives: the effect of the ligand on half-sandwich cobalt(III) complexes, 236
Cyclometallation
Cyclometallated nitrogen heterocycles, 112
Cyclopentadienyl
Synthesis and reactivity of a tethered diene cyclopentadiene, (C_5Me_4H)$SiMe_2$(CH_2CH=$CHCH$=CH_2), and its alkali metal salts, 200
Synthesis, characterization and reactivity of iron–olefin complexes of the type [$CpFe(CO)_2$(η^2-CH_2=CHR)]$^+X^-$ (Cp = η^5-C_5H_5; R = CH_3 to *n*-$C_{14}H_{29}$; X = PF_6 or BF_4), 181
Cyclopropanation
Half-sandwich ruthenium(II) complexes of aminophosphines: synthesis, structures and catalytic applications in C–C coupling reactions between styrenes and diphenyldiazomethane, 227
Diene
Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36
1,2-Di(hydroxymethyl)benzene
Binuclear alkylmetallane dioldiates ^{t}Bu$_4$M$_2$(diol–(H))$_2$ (M = Al, Ga) and their reactions with aluminium- and gallium trialkyls, 246
Dinuclear palladium hydrides
Synthesis and spectroscopy of binuclear phosphine bridged palladium hydrides: Pd_2HX_3[dppm]$_2$ (X = Br, I; dppm = bis[di-bis[diphenylphosphino]methane), 206
Diols
Binuclear alkylmetallane dioldiates ^{t}Bu$_4$M$_2$(diol–(H))$_2$ (M = Al, Ga) and their reactions with aluminium- and gallium trialkyls, 246
Dithiocarbamate
Structural dynamics and ligand mobility in carboxylate and dithiocarbamate complexes of Ru(II) containing 1,1′-bis(diphenylphosphino)ferrocene (dppf), 100
Dithiolatocobalt
Electrochemical behavior of the Cp*(dithiolato)Co(III) complex [(η^5-Cp*)Co(1,2-$S_2C_2B_{10}H_{10}$-*S*,*S*′)] and its derivatives: the effect of the ligand on half-sandwich cobalt(III) complexes, 236
Dynamic NMR spectroscopy
Synthesis and spectroscopy of binuclear phosphine bridged palladium hydrides: Pd_2HX_3[dppm]$_2$ (X = Br, I; dppm = bis[di-bis[diphenylphosphino]methane), 206
18-Electron dithiolate
Electrochemical behavior of the Cp*(dithiolato)Co(III) complex [(η^5-Cp*)Co(1,2-$S_2C_2B_{10}H_{10}$-*S*,*S*′)] and its derivatives: the effect of the ligand on half-sandwich cobalt(III) complexes, 236
Enantiomeric resolution
Synthesis and enantiomeric resolution of ferrocenyl(alkyl)azoles, 138
Ether group
Synthesis and structure of an ether-bridged double ladder compound: potential in host–guest chemistry, 56
Ethylene-linked bis(phenol) ligands
Ethylene-linked bis(phenol) ligands: efficient synthesis, Ti(IV) coordination chemistry, and Lewis acid catalysis, 121
Ethylene polymerization
CH-Aktivierungsreaktionen an unverbrückten und verbrückten Zirconocenkomplexen zur Darstellung von Metallacyclen und deren Verwendung in der katalytischen Ethylenpolymerisation, 254
Ferrocene derivatives
Synthesis and enantiomeric resolution of ferrocenyl(alkyl)azoles, 138
Ferrocenyl(alkyl)azoles
Synthesis and enantiomeric resolution of ferrocenyl(alkyl)azoles, 138
Ferrocenyl borazine
Bonding, motional anisotropy, and metal atom dynamics of iron in two ferrocene substituted boron ring compounds, 11
Ferrocenyl boroxine
Bonding, motional anisotropy, and metal atom dynamics of iron in two ferrocene substituted boron ring compounds, 11
Gallium
Binuclear alkylmetallane dioldiates ^{t}Bu$_4$M$_2$(diol–(H))$_2$ (M = Al, Ga) and their reactions with aluminium- and gallium trialkyls, 246
Heterobimetallic complexes
Synthesis and antimalarial activity in vitro of new heterobimetallic complexes: Rh and Au derivatives of chloroquine and a series of ferrocenyl-4-amino-7-chloroquinolines, 144
Hexacarbonylmetal
Pentacarbonyl(η^2-vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62

Host–guest chemistry
Synthesis and structure of an ether-bridged double ladder compound: potential in host–guest chemistry, 56
HPLC
Synthesis and enantiomeric resolution of ferrocenyl(alkyl)azoles, 138
Hybrid organotellurium ligand
Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
Hydroboration
Polymer derived Si–C–B–N ceramics via hydroboration from borazine derivatives and trivinylcyclotrisilazane, 27
Indenyl ligand
Indenyl nickel complexes: synthesis, characterization and styrene polymerization catalysis, 132
Infrared spectroscopy
Unusual behavior in the 308 nm flash photolysis of Vaska's complex, 1
Iron
Synthesis, characterization and reactivity of iron–olefin complexes of the type $[CpFe(CO)_2(\eta^2\text{-}CH_2{=}CHR)]^+X^-$ ($Cp = \eta^5\text{-}C_5H_5$; $R = CH_3$ to $n\text{-}C_{14}H_{29}$; $X = PF_6$ or BF_4), 181
Iron atom dynamics
Bonding, motional anisotropy, and metal atom dynamics of iron in two ferrocene substituted boron ring compounds, 11
Isotactic polypropylene
Novel C_1 symmetric zirconocenes containing substituted indenyl moieties for the stereoregular polymerization of propylene, 153
kinetics
Unusual behavior in the 308 nm flash photolysis of Vaska's complex, 1
Lanthanide
Arene complexation of Sm, Eu, Tm and Yb atoms: a variable temperature spectroscopic investigation, 49
Lewis acid catalysis
Ethylene-linked bis(phenol) ligands: efficient synthesis, Ti(IV) coordination chemistry, and Lewis acid catalysis, 121
Lithium perchlorate
An improved synthesis of cyanohydrins in the presence of solid $LiClO_4$ under solvent-free conditions, 283
Manganese
A crystallographic and spectroscopic investigation of the stereochemistry of $[MBr(CO)_3L_2]$ (M = Mn, Re) complexes: crystal and molecular structures of $[MBr(CO)_3L_2]$ {M = Mn, $L = P(C_6H_4Cl\text{-}4)_3$, 1/2dppe, 1/2dppf; M = Re, $L = P(C_6H_4OMe\text{-}4)_3$, 1/2dppf}, 174
Mechanism
Efficient curing of polymethylsilane by borazine and reaction mechanism study, 125
Mercury
Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
Metal-containing phosphine
Preparations of cobalt-containing phosphines and reactions toward dicobalt octacarbonyl, 161
Metallaboranes
Degradation and modification of metallaboranes: Part 3. Reactions of the hexaborane(10) analogue *nido*-$(PPh_3)_2(CO)OsB_5H_9$ with bidentate phosphines containing a rigid backbone: formation of linked cluster systems, 82
Metallacycle
Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36
Metallacycles
CH-Aktivierungsreaktionen an unverbrückten und verbrückten Zirconocenkomplexen zur Darstellung von Metallacyclen und deren Verwendung in der katalytischen Ethylenpolymerisation, 254
Metal vapour synthetic techniques
Arene complexation of Sm, Eu, Tm and Yb atoms: a variable temperature spectroscopic investigation, 49
Molecular structure
Reaction of pentacarbonyl(η^2-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68
Molybdenum
Pentacarbonyl(η^2-vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62
Mössbauer spectroscopy
Bonding, motional anisotropy, and metal atom dynamics of iron in two ferrocene substituted boron ring compounds, 11
MS, IR and NMR data
Reaction of pentacarbonyl(η^2-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68
Nickel
Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36
Nickelacycle
Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36
Nickel complex
Indenyl nickel complexes: synthesis, characterization and styrene polymerization catalysis, 132
Nitrogen heterocycles
Cyclometallated nitrogen heterocycles, 112
N-{2-(4-Methoxyphenyltelluro)ethyl}pyrrolidine
Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
NMR spectroscopy
Degradation and modification of metallaboranes: Part 3. Reactions of the hexaborane(10) analogue *nido*-$(PPh_3)_2(CO)OsB_5H_9$ with bidentate phosphines containing a rigid backbone: formation of linked cluster systems, 82
N,*N*′-Thionyldiimidazole
Synthesis and enantiomeric resolution of ferrocenyl(alkyl)azoles, 138
Olefin
Synthesis, characterization and reactivity of iron–olefin complexes of the type $[CpFe(CO)_2(\eta^2\text{-}CH_2{=}CHR)]^+X^-$ ($Cp = \eta^5\text{-}C_5H_5$; $R = CH_3$ to $n\text{-}C_{14}H_{29}$; $X = PF_6$ or BF_4), 181
Olefin polymerization
Novel C_1 symmetric zirconocenes containing substituted indenyl moieties for the stereoregular polymerization of propylene, 153
Organometallic monosaccharides
Organotransition metal modified sugars: Part 27. Stereoselective radical spiro-cycloaddition reactions of Fischer carbene complexes, 5
Organophosphine ligands
A crystallographic and spectroscopic investigation of the stereochemistry of $[MBr(CO)_3L_2]$ (M = Mn, Re) complexes: crystal and molecular structures of $[MBr(CO)_3L_2]$ {M = Mn, $L = P(C_6H_4Cl\text{-}4)_3$, 1/2dppe, 1/2dppf; M = Re, $L = P(C_6H_4OMe\text{-}4)_3$, 1/2dppf}, 174
Organotin double ladder
Synthesis and structure of an ether-bridged double ladder compound: potential in host–guest chemistry, 56
Oxidative addition

Reactivity of rhodium-β-diketonato cyclooctadiene derivatives with mono- and di-phosphines. Synthesis, structural and spectroscopic characterization of Rh(I) and Rh(III) species containing unsymmetrical β-diketonate and P-donor ligands, 216
Synthesis and spectroscopy of binuclear phosphine bridged palladium hydrides: $Pd_2HX_3[dppm]_2$ (X = Br, I; dppm = bis[di-bis[diphenylphosphino]methane), 206
Palladium
Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
Synthesis, molecular structure, and photoluminescence properties of palladium and platinum complexes containing phosphine sulfide-based SCS pincer ligand, 15
P-donor ligands
Reactivity of rhodium-β-diketonato cyclooctadiene derivatives with mono- and di-phosphines. Synthesis, structural and spectroscopic characterization of Rh(I) and Rh(III) species containing unsymmetrical β-diketonate and P-donor ligands, 216
Pentamethylcyclopentadienyl
Photochemical C–Cl bond activation of trichloroarenes by the rhenium complex $(\eta^5\text{-}C_5Me_5)Re(CO)_3$. X-ray structure of *trans*-$(\eta^5\text{-}C_5Me_5)Re(CO)_2$(2-methoxy-4,5-dichlorophenyl)chloride, 168
Synthesis, characterization and reactivity of iron–olefin complexes of the type $[CpFe(CO)_2(\eta^2\text{-}CH_2{=}CHR)]^+X^-$ (Cp = $\eta^5\text{-}C_5H_5$; R = CH_3 to *n*-$C_{14}H_{29}$; X = PF_6 or BF_4), 181
Phenoxyl radical
Spin–spin interaction between phenoxyl radicals through σ–π system, 192
phosphine
Catalytic air oxidation of tertiary arylphosphines in the presence of tin(IV) iodide, 280
phosphine oxide
Catalytic air oxidation of tertiary arylphosphines in the presence of tin(IV) iodide, 280
Phosphines
Degradation and modification of metallaboranes: Part 3. Reactions of the hexaborane(10) analogue *nido*-$(PPh_3)_2(CO)OsB_5H_9$ with bidentate phosphines containing a rigid backbone: formation of linked cluster systems, 82
Phosphine sulfide
Synthesis, molecular structure, and photoluminescence properties of palladium and platinum complexes containing phosphine sulfide-based SCS pincer ligand, 15
Photoluminescence
Synthesis, molecular structure, and photoluminescence properties of palladium and platinum complexes containing phosphine sulfide-based SCS pincer ligand, 15
Photolysis
Pentacarbonyl(η^2-vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62
Unusual behavior in the 308 nm flash photolysis of Vaska's complex, 1
Pincer ligand
Synthesis, molecular structure, and photoluminescence properties of palladium and platinum complexes containing phosphine sulfide-based SCS pincer ligand, 15
Platinum
Synthesis, molecular structure, and photoluminescence properties of palladium and platinum complexes containing phosphine sulfide-based SCS pincer ligand, 15
P,*N*-ligands
C_2-Symmetric ytterbium(II) complexes with a novel, chiral *P*,*N*-donor ligand, 92
^{31}P-NMR spectroscopy
Reactivity of rhodium-β-diketonato cyclooctadiene derivatives with mono- and di-phosphines. Synthesis, structural and spectroscopic characterization of Rh(I) and Rh(III) species containing unsymmetrical β-diketonate and P-donor ligands, 216
Polymerization
Indenyl nickel complexes: synthesis, characterization and styrene polymerization catalysis, 132
Polymer precursor
Polymer derived Si–C–B–N ceramics via hydroboration from borazine derivatives and trivinylcyclotrisilazane, 27
Polymethylsilane
Efficient curing of polymethylsilane by borazine and reaction mechanism study, 125
Potassium
Synthesis and reactivity of a tethered diene cyclopentadiene, $(C_5Me_4H)SiMe_2(CH_2CH{=}CHCH{=}CH_2)$, and its alkali metal salts, 200
Radicals
Organotransition metal modified sugars: Part 27. Stereoselective radical spiro-cycloaddition reactions of Fischer carbene complexes, 5
Redox process
Electrochemical behavior of the Cp*(dithiolato)Co(III) complex [(η^5-Cp*)Co(1,2-$S_2C_2B_{10}H_{10}$-*S*,*S*′)] and its derivatives: the effect of the ligand on half-sandwich cobalt(III) complexes, 236
Rhenium
A crystallographic and spectroscopic investigation of the stereochemistry of $[MBr(CO)_3L_2]$ (M = Mn, Re) complexes: crystal and molecular structures of $[MBr(CO)_3L_2]$ {M = Mn, L = $P(C_6H_4Cl\text{-}4)_3$, 1/2dppe, 1/2dppf; M = Re, L = $P(C_6H_4OMe\text{-}4)_3$, 1/2dppf}, 174
Photochemical C–Cl bond activation of trichloroarenes by the rhenium complex $(\eta^5\text{-}C_5Me_5)Re(CO)_3$. X-ray structure of *trans*-$(\eta^5\text{-}C_5Me_5)Re(CO)_2$(2-methoxy-4,5-dichlorophenyl)chloride, 168
Rhodium
Reactivity of rhodium-β-diketonato cyclooctadiene derivatives with mono- and di-phosphines. Synthesis, structural and spectroscopic characterization of Rh(I) and Rh(III) species containing unsymmetrical β-diketonate and P-donor ligands, 216
Ruthenium
Chiral ruthenium complexes with sulfur ligands; X-ray structure of $(R)_{Ru}$-Ru(NmCp)(CO)(PPh_3)SCN (NmCp = neomenthylcyclopentadienyl), 75
Structural dynamics and ligand mobility in carboxylate and dithiocarbamate complexes of Ru(II) containing 1,1′-bis(diphenylphosphino)ferrocene (dppf), 100
Synthesis, characterization and reactivity of iron–olefin complexes of the type $[CpFe(CO)_2(\eta^2\text{-}CH_2{=}CHR)]^+X^-$ (Cp = $\eta^5\text{-}C_5H_5$; R = CH_3 to *n*-$C_{14}H_{29}$; X = PF_6 or BF_4), 181
Ruthenium(II) complexes
Half-sandwich ruthenium(II) complexes of aminophosphines: synthesis, structures and catalytic applications in C–C coupling reactions between styrenes and diphenyldiazomethane, 227
SiCBN ceramic
Polymer derived Si–C–B–N ceramics via hydroboration from borazine derivatives and trivinylcyclotrisilazane, 27
Solvent-free, Trimethylsilyl cyanide
An improved synthesis of cyanohydrins in the presence of solid $LiClO_4$ under solvent-free conditions, 283
Spin state
Spin–spin interaction between phenoxyl radicals through σ–π system, 192
Spirocycloaddition
Organotransition metal modified sugars: Part 27. Stereoselective radical spiro-cycloaddition reactions of Fischer carbene complexes, 5

Stereochemistry
Chiral ruthenium complexes with sulfur ligands; X-ray structure of $(R)_{Ru}$-Ru(NmCp)(CO)(PPh_3)SCN (NmCp = neomenthylcyclopentadienyl-neomenthylcyclopentadienyl), 75
Stille cross-coupling
Synthesis of tricarbonyl η^6- and η^5-[(3-thiophenyl)organo]chromium and -manganese complexes, 273
Structural dynamics
Structural dynamics and ligand mobility in carboxylate and dithiocarbamate complexes of Ru(II) containing 1,1′-bis(diphenylphosphino)ferrocene (dppf), 100
Styrene
Indenyl nickel complexes: synthesis, characterization and styrene polymerization catalysis, 132
Sulfide epimerisation
Chiral ruthenium complexes with sulfur ligands; X-ray structure of $(R)_{Ru}$-Ru(NmCp)(CO)(PPh_3)SCN (NmCp = neomenthylcyclopentadienyl-neomenthylcyclopentadienyl), 75
Tethered diene
Synthesis and reactivity of a tethered diene cyclopentadiene, $(C_5Me_4H)SiMe_2(CH_2CH{=}CHCH{=}CH_2)$, and its alkali metal salts, 200
Tetracobalt cluster
Preparations of cobalt-containing phosphines and reactions toward dicobalt octacarbonyl, 161
Tetramethylcyclopentadienyl
Synthesis and reactivity of a tethered diene cyclopentadiene, $(C_5Me_4H)SiMe_2(CH_2CH{=}CHCH{=}CH_2)$, and its alkali metal salts, 200
Tetraorganodistannoxane
Synthesis and structure of an ether-bridged double ladder compound: potential in host–guest chemistry, 56
Thiocyanate
Chiral ruthenium complexes with sulfur ligands; X-ray structure of $(R)_{Ru}$-Ru(NmCp)(CO)(PPh_3)SCN (NmCp = neomenthylcyclopentadienyl-neomenthylcyclopentadienyl), 75
Thiophenyl
Synthesis of tricarbonyl η^6- and η^5-[(3-thiophenyl)organo]chromium and -manganese complexes, 273
Ti(IV) coordination chemistry
Ethylene-linked bis(phenol) ligands: efficient synthesis, Ti(IV) coordination chemistry, and Lewis acid catalysis, 121
Tin
Catalytic air oxidation of tertiary arylphosphines in the presence of tin(IV) iodide, 280
Titanium
Synthesis and reactivity of a tethered diene cyclopentadiene, $(C_5Me_4H)SiMe_2(CH_2CH{=}CHCH{=}CH_2)$, and its alkali metal salts, 200
Transmetalation
Binuclear alkylmetallane dioldiates $^tBu_4M_2(diol{-}(H))_2$ (M = Al, Ga) and their reactions with aluminium- and gallium trialkyls, 246
Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36
Tricyclohexylphosphine
Reaction of pentacarbonyl(η^2-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68
Trivinylcyclotrisilazane
Polymer derived Si–C–B–N ceramics via hydroboration from borazine derivatives and trivinylcyclotrisilazane, 27
Tungsten
Pentacarbonyl(η^2-vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62
Reaction of pentacarbonyl(η^2-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68
Vaska's complex
Unusual behavior in the 308 nm flash photolysis of Vaska's complex, 1
Vinylferrocene
Pentacarbonyl(η^2-vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62
X-ray
Synthesis and structure of an ether-bridged double ladder compound: potential in host–guest chemistry, 56
X-ray diffraction
Reaction of pentacarbonyl(η^2-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68
X-ray structure
A crystallographic and spectroscopic investigation of the stereochemistry of $[MBr(CO)_3L_2]$ (M = Mn, Re) complexes: crystal and molecular structures of $[MBr(CO)_3L_2]$ {M = Mn, L = $P(C_6H_4Cl\text{-}4)_3$, 1/2dppe, 1/2dppf; M = Re, L = $P(C_6H_4OMe\text{-}4)_3$, 1/2dppf}, 174
Ytterbium
C_2-Symmetric ytterbium(II) complexes with a novel, chiral *P*,*N*-donor ligand, 92
Zero valent
Arene complexation of Sm, Eu, Tm and Yb atoms: a variable temperature spectroscopic investigation, 49
Zirconocene complexes
CH-Aktivierungsreaktionen an unverbrückten und verbrückten Zirconocenkomplexen zur Darstellung von Metallacyclen und deren Verwendung in der katalytischen Ethylenpolymerisation, 254
Zirconocenes
Novel C_1 symmetric zirconocenes containing substituted indenyl moieties for the stereoregular polymerization of propylene, 153